Index

#

#define, 58, 320
#include, 389

$

$HOME/.Xdefaults-*name*, 434
$HOME/.Xdefaults, 434

/

/etc/X?.hosts, 179

<

<stdio.h>, 427
<X11/cursorfont.h>, 3
<X11/keysym.h>, 4, 250
<X11/keysymdef.h>, 3, 4, 250, 371
<X11/X.h>, 2, 3, 122, 183, 185
<X11/X10.h>, 4, 435
<X11/Xatom.h>, 3, 58, 155, 320, 349
<X11/Xcms.h>, 3, 74
<X11/Xlib.h>, 3, 4, 8, 74, 184, 318, 383, 406, 415, 416
<X11/Xlibint.h>, 4, 405, 418, 419, 421
<X11/Xproto.h>, 4, 201, 227, 419, 420, 421
<X11/Xprotostr.h>, 4
<X11/Xresource.h>, 3, 353
<X11/Xutil.h>, 3, 331, 333, 337, 341, 374, 375, 381, 384, 389, 429

A

Above, 43, 210
Access control list, 178, **439**
Active grab, **232**, **439**
AllHints, 331
AllocAll, 80, 81, 89, 350
Allocation:
  colormap, 84
  read-only colormap cells, 83, 84, 85
  read/write colormap cells, 86
  read/write colormap planes, 87
AllocNamedColor, 227
AllocNone, 80
AllowEvents, 242
AllowExposures, 176, 178
AllPlanes, **9**, 123
AllTemporary, 176
AlreadyGrabbed, 234, 238
Always, 20, 34, 49, 55, 200
Ancestors, **439**
AnyButton, 235, 236, 237
AnyKey, 239, 240
AnyModifier, 235, 236, 237, 239, 240
AnyPropertyType, 61, 63
ArcChord, 126, 137, 150
ArcPieSlice, 122, 126, 137, 150
Arcs:
  drawing, 145
  filling, 149
Areas:
  clearing, 138
  copying, 139
AsyncBoth, 240, 241
AsyncKeyboard, 240, 241, 242
AsyncPointer, 240, 241, 242
Atom, 58, 304, 324, 420, 422, **439**
  getting name, 60, 61
  interning, 60
  predefined, 58, 320
Authentication, 178
AutoRepeatModeDefault, 245
AutoRepeatModeOff, 245, 246, 247
AutoRepeatModeOn, 245, 246, 247

B

B16, 419
B32, 419
Background, **439**
Backing store, **439**
BadAccess, 49, 89, 90, 91, 92, 179, 180, 181, 182, **227**, 237, 240
BadAlloc, 38, 60, 64, 68, 69, 70, 71, 80, 81, 127, 129, 130, 131, 132, 134, 135, 136, 137, 154, 155, **227**, 253, 254, 328, 329, 331, 333, 335, 336, 337, 338, 339, 340, 342, 344, 345, 350, 380, 387, 389, 429, 430, 431, 432
BadAtom, 61, 63, 64, 65, 66, 67, **227**, 229, 264, 265, 295, 297, 304, 328, 336, 337, 350, 351, 431, 432
BadColor, 38, 49, 51, 81, 82, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 173, 174, **227**, 229, 295, 297, 304
BadCursor, 38, 49, 52, 72, 73, **227**, 229, 234, 235,

237, 297, 305
BadDrawable, 55, 56, 68, 72, 127, 133, 134, 140, 141, 142, 144, 145, 147, 148, 149, 151, 163, 164, 166, 168, 169, 170, **227**, 229, 387, 388, 389, 432
BadFont, 70, 127, 135, 155, 161, 163, **227**, 229, 277
BadGC, 23, 127, 128, 129, 130, 131, 132, 134, 135, 136, 137, 140, 141, 142, 144, 145, 147, 148, 149, 151, 161, 163, 164, 166, 168, 170, **227**, 229, 387, 389
BadIDChoice, **227**
BadImplementation, 227, **229**
BadLength, 227, **229**, 254, 419
BadMatch, 30, 32, 33, 35, 37, 38, 42, 43, 44, 48, 49, 50, 51, 64, 65, 71, 80, 125, 126, 127, 133, 134, 136, 139, 140, 141, 142, 144, 145, 147, 148, 149, 151, 163, 164, 166, 168, 169, 170, 171, 172, 173, 227, **229**, 244, 245, 246, 323, 381, 388, 389
BadName, 92, 154, 227, **229**
BadPixmap, 38, 49, 50, 51, 69, 71, 127, 134, 136, 227, **229**, 295, 297, 304
BadRequest, 227, **229**
BadValue, 23, 36, 38, 42, 44, 45, 47, 49, 60, 63, 64, 68, 69, 70, 80, 87, 88, 89, 90, 91, 92, 93, 94, 125, 127, 129, 130, 131, 132, 133, 136, 137, 139, 140, 141, 142, 144, 149, 168, 169, 170, 172, 175, 176, 177, 178, 179, 180, 181, 225, 227, **229**, 234, 235, 237, 238, 240, 242, 244, 245, 246, 247, 248, 249, 251, 252, 253, 254, 323, 328, 389
BadWindow, 38, 39, 40, 41, 42, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 55, 57, 58, 63, 64, 65, 66, 67, 80, 139, 172, 173, 174, 217, 225, 226, 227, **229**, 234, 237, 238, 240, 243, 244, 295, 297, 300, 322, 323, 328, 329, 330, 331, 333, 335, 336, 337, 338, 339, 340, 341, 342, 344, 345, 350, 351, 429, 430, 431, 432
Base font name, **439**
Below, 43
Bit:
  gravity, **439**
  plane, **439**
Bitmap, 2, **439**
BitmapBitOrder, **17**
BitmapFileInvalid, 387
BitmapNoMemory, 387, 388
BitmapOpenFailed, 387, 388
BitmapPad, **17**
BitmapSuccess, 387, 388
BitmapUnit, **16**
BlackPixel, **9**
BlackPixelOfScreen, **18**
Bool, **4**, 185, 221, 222, 294, 295, 410
Border, **440**
BottomIf, 43, 44
Button1, 191
Button1Mask, 191, 193
Button1Motion, 35
Button1MotionMask, 186, 189, 191, 233
Button2, 191
Button2Mask, 191, 193
Button2Motion, 35
Button2MotionMask, 186, 191, 233
Button3, 191
Button3Mask, 191, 193
Button3Motion, 35
Button3MotionMask, 186, 191, 233
Button4, 191
Button4Mask, 191, 193
Button4Motion, 35
Button4MotionMask, 186, 191, 233
Button5, 191
Button5Mask, 191, 193
Button5Motion, 35
Button5MotionMask, 186, 189, 191, 233
Button:
  grabbing, 235, **440**
  ungrabbing, 237
ButtonMotion, 35
ButtonMotionMask, 186, 187, 189, 233
ButtonPress, 35, 183, 186, **189**, 195, 217, 236, 241
ButtonPressMask, 49, 186, 189, 217, 233
ButtonRelease, 35, 183, **189**, 195, 241
ButtonReleaseMask, 186, 189, 233
Byte:
  order, **440**

C

CallbackPrototype, **306**
calloc, 426
CapButt, 122, 124, 131
CapNotLast, 124, 131
CapProjecting, 124, 131
CapRound, 124, 131
CARD16, 427
CARD32, 427
CCC, 79
  creation, 98
  default, 79, 94, 95
  freeing, 99
  of colormap, 79, 94, 95
CellsOfScreen, **19**
CenterGravity, 33, 55
Changing:
  pointer grab, 235
char, 61, 63, 64, 427

Character glyph, **440**
Character set, **440**
Character, **440**
Charset, **440**
CharSetEncoding, 269, 439, 442
CharSetRegistry, 269, 439, 442
Child window, 1
Child Window, 53
Children, **440**
Chroma, 110, 111, 112
  maximum, 110, 111, 112
CIE metric lightness, 107, 108, 109, 110
  maximum, 107, 108, 109
  minimum, 108, 110
CirculateNotify, 47, 183, 186, 192, 201, **202**, 208
CirculateRequest, 47, 183, **208**, 209, 216
Class, **440**
Clearing:
  areas, 138
  windows, 139
Client White Point, 79
  of Color Conversion Context, 96
Client, **440**
ClientMessage, 59, 183, 186, **212**, 322
ClientWhitePointOfCCC, **96**
ClipByChildren, 122, 126, 137, 138
Clipping region, **441**
Coded character set, **441**
Coded character, **441**
Codepoint, **441**
Color Characterization Data, 118
Color Conversion Context, 79
  creation, 79, 94, 98
  default, 79, 94, 95
  freeing, 99
  of colormap, 79, 94, 95
Color conversion, 99
Color map, 75, 84
Color, 75
  allocation, 83, 84, 85, 86, 87
  conversion, 99
  deallocation, 88
  naming, 81, 82, 84, 85, 91
  querying, 92, 93
  storing, 89, 90, 91
Colormap, 2, 23, 24, 304, 420, **441**
  CCC of, 94, 95
ColormapChangeMask, 186, 211
ColormapInstalled, 212
ColormapNotify, 49, 81, 173, 174, 183, **211**
Colormaps:
  standard, 349
ColormapUninstalled, 212
Complex, 149
ConfigureNotify, 43, 183, 186, 192, 201, **202**, 208
ConfigureRequest, 2, 43, 44, 45, 46, 47, 48, 183, 208, **209**, 216
ConfigureRequestEvent, 323
ConfigureWindow, 209, 210, 323
Connection, **441**
ConnectionNumber, **9**
Containment, **441**
Control, 254
ControlMask, 191, 193, 233, 237
ConvertSelection, 214
Convex, 149
Coordinate system, **441**
CoordModeOrigin, 142, 143, 144, 149
CoordModePrevious, 142, 143, 144, 149
CopyArea, 140
CopyFromParent, 31, 33, 35, 36, 49, 51
Copying:
  areas, 139
  planes, 140
CreateNotify, 37, 38, 183, 186, 201, **203**
CurrentTime, 66, 67, 186, 214, 215, 225, 226, **232**, 233, 234, 235, 237, 238, 240, 243, 244, 449
Cursor, 2, 23, 24, 304, 420, **441**
  Initial State, 38
  limitations, 72
CursorShape, 132, 133
Cut Buffers, 380
CWBackingPixel, 30
CWBackingPlanes, 30
CWBackingStore, 30
CWBackPixel, 30
CWBackPixmap, 30
CWBitGravity, 30
CWBorderPixel, 30
CWBorderPixmap, 30
CWBorderWidth, 42
CWColormap, 30
CWCursor, 30
CWDontPropagate, 30
CWEventMask, 30
CWHeight, 42
CWOverrideRedirect, 30
CWSaveUnder, 30
CWSibling, 42
CWStackMode, 42
CWWidth, 42
CWWinGravity, 30
CWX, 42

CWY, 42

D

Data16, 423
Data32, 423
Data, 422, 423, 426
Debugging:
  error event, 227
  error handlers, 227
  error message strings, 229
  error numbers, 227
  synchronous mode, 226
Default Protection, 178
DefaultBlanking, 176, 178
DefaultColormap, **10**, 75
DefaultColormapOfScreen, **19**
DefaultDepth, **10**
DefaultDepthOfScreen, **19**
DefaultExposures, 176, 178
DefaultGC, **11**
DefaultGCOfScreen, **19**
DefaultRootWindow, **11**
DefaultScreen, 7, 8, **12**
DefaultScreenOfDisplay, **11**
DefaultVisual, **12**, 75
DefaultVisualOfScreen, **19**
Depth, **441**
Destination, **122**
DestroyAll, 23, 24
DestroyCallback, **294**, **307**
DestroyNotify, 39, 183, 186, 201, **204**
Device Color Characterization, 117
Device profile, 79, 118
Device, **441**
DirectColor, 28, 29, 75, 80, 87, 88, 349, **441**, 449
DisableAccess, 181
Display Functions, **122**
Display, 8, 23, 254, 415, 416, 417, 421, 423, **442**, 448
  data structure, 8
  structure, 442, 448
DisplayCells, **12**
DisplayHeight, **17**
DisplayHeightMM, **17**
DisplayOfCCC, **95**
DisplayOfScreen, **20**
DisplayPlanes, **12**
DisplayString, **13**
DisplayWidth, **18**
DisplayWidthMM, **18**
DoBlue, 75, 82, 89, 90, 91, 92, 93
DoesBackingStore, **20**
DoesSaveUnders, **20**
DoGreen, 75, 82, 89, 90, 91, 92, 93
DontAllowExposures, 176, 178
DontPreferBlanking, 176, 178
DoRed, 75, 82, 89, 90, 91, 92, 93
Drawable, 2, 420, 422, **442**
Drawing:
  arcs, 145
  image text, 165
  lines, 142
  points, 141
  polygons, 142
  rectangles, 144
  strings, 163
  text items, 162

E

EastGravity, 33, 54, 55
EnableAccess, 181
Encoding, **442**
EnterNotify, 183, **192**, 193, 194, 195, 196, 199, 208, 234
EnterWindowMask, 186, 192, 233
Environment:
  DISPLAY, 7
Error:
  codes, 227
  handlers, 227
  handling, 3
Escapement, **442**
EvenOddRule, 122, 126, 132, 376
Event mask, **185**
Event, 2, 183, **442**
  categories, 183
  Exposure, **443**
  mask, **442**
  propagation, 216, **442**
  source, **442**
  synchronization, **442**
  types, 183
EventMaskOfScreen, **20**
Events:
  ButtonPress, 189
  ButtonRelease, 189
  CirculateNotify, 202
  CirculateRequest, 208
  ClientMessage, 212
  ColormapNotify, 211
  ConfigureNotify, 202
  ConfigureRequest, 209
  CreateNotify, 203
  DestroyNotify, 204

EnterNotify, 192
Expose, 199
FocusIn, 195
FocusOut, 195
GraphicsExpose, 200
GravityNotify, 205
KeymapNotify, 199
KeyPress, 189
KeyRelease, 189
LeaveNotify, 192
MapNotify, 205
MappingNotify, 206
MapRequest, 210
MotionNotify, 189
NoExpose, 200
PropertyNotify, 212
ReparentNotify, 206
ResizeRequest, 211
SelectionClear, 213
SelectionNotify, 214
SelectionRequest, 213
UnmapNotify, 207
VisibilityNotify, 207
Expose, 2, 30, 32, 34, 39, 40, 41, 42, 44, 45, 46, 138, 171, 177, 183, 192, 196, **199**, 200, 208
ExposureMask, 186, 200
Extension, **443**

F

False, **4**, 20, 26, 31, 34, 35, 40, 43, 44, 45, 46, 47, 48, 55, 57, 58, 60, 91, 99, 139, 155, 186, 188, 191, 193, 209, 210, 211, 217, 219, 220, 222, 223, 224, 226, 233, 238, 256, 263, 272, 273, 291, 292, 295, 315, 332, 362, 363, 365, 405, 411, 412, 423, 424
FamilyChaos, 179
FamilyDECnet, 179
FamilyInternet, 179
Files:
$HOME/.Xdefaults, 434
/etc/X?.hosts, 179
<stdio.h>, 427
<X11/cursorfont.h>, 3
<X11/keysym.h>, 4, 250
<X11/keysymdef.h>, 3, 4, 250, 371
<X11/X.h>, 2, 3, 122, 183, 185
<X11/X10.h>, 4, 435
<X11/Xatom.h>, 3, 58, 155, 320, 349
<X11/Xcms.h>, 3, 74
<X11/Xlib.h>, 3, 4, 8, 74, 184, 318, 383, 406, 415, 416
<X11/Xlibint.h>, 4, 405, 418, 419, 421
<X11/Xproto.h>, 4, 201, 227, 419, 420, 421
<X11/Xprotostr.h>, 4
<X11/Xresource.h>, 3, 353
<X11/Xutil.h>, 3, 331, 333, 337, 341, 374, 375, 381, 384, 389, 429
Filling:
arcs, 149
polygon, 149
rectangles, 147
FillOpaqueStippled, 125, 132, 140
FillPolygon, 148
FillSolid, 122, 125, 132, 166
FillStippled, 125, 132
FillTiled, 125, 132
FlushGC, **417**, 418
FocusChangeMask, 186, 195
FocusIn, 183, **195**, 196, 197, 198, 199, 238, 239, 244
FocusOut, 183, 192, **195**, 196, 197, 198, 199, 208, 238, 239, 244
Font glyph, **443**
Font, 2
font, 6
Font, 23, 24, 151, 420, **443**
FontLeftToRight, 152, 158, 159, 160
FontRightToLeft, 152, 158, 159, 160
Fonts, 436
freeing font information, 154
getting information, 154
unloading, 154
Forget, 34
ForgetGravity, 31, 33, 34, 54
fork, 13
free, 426
Freeing:
colors, 88
resources, 30, 50, 51
Frozen events, **443**
Function set, 117
LINEAR_RGB, 117

G

Gamut compression, 79
client data, 97
procedure, 97
setting in Color Conversion Context, 97
Gamut handling, 79
Gamut querying, 104
GC, 415, **443**
GCArcMode, 120, 128
GCBackground, 120, 128
GCCapStyle, 120, 128
GCClipMask, 120, 128

GCClipXOrigin, 120, 128
GCClipYOrigin, 120
GCCLipYOrigin, 128
GCDashList, 120, 128
GCDashOffset, 120, 128
GCFillRule, 120, 128
GCFillStyle, 120, 128
GCFont, 120, 128
GCForeground, 120, 128
GCFunction, 120, 128
GCGraphicsExposures, 120, 128
GCJoinStyle, 120, 128
GCLineStyle, 120, 128
GCLineWidth, 120, 128
GContext, 2, 23, 24, 128, 154, 160, 227, 420
GCPlaneMask, 120, 128
GCStipple, 120, 128
GCSubwindowMode, 120, 128
GCTile, 120, 128
GCTileStipXOrigin, 120, 128
GCTileStipYOrigin, 120, 128
GeometryCallback, **307**
GetEmptyReq, 421
GetKeyboardControl, 421, 423
GetReq, 421, 422, 426
GetReqExtra, 421, 422
GetResReq, 421, 422
GetWindowAttributes, 421, 423, 424
Glyph image, **443**
Glyph, **443**
Grab, **443**
Grabbing:
  buttons, 235
  keyboard, 237
  keys, 239
  pointer, 233
  server, 176
GrabFrozen, 234, 238
GrabInvalidTime, 234, 238
GrabModeAsync, 188, 233, 234, 235, 237, 238, 239
GrabModeSync, 233, 234, 235, 237, 238, 239
GrabNotViewable, 234, 238
GrabSuccess, 233
Graphics context, 120, **443**
  initializing, 126
  path, 124
GraphicsExpose, 126, 137, 140, 183, 184, 186, **200**, 201
Gravity, **443**
GravityNotify, 34, 43, 183, 186, 192, 201, **205**, 208
GrayScale, 28, 29, 71, 75, 80, 87, 348, 349, 431, **443**, 449
GXand, 122
GXandInverted, 122
GXandReverse, 122
GXclear, 122
GXcopy, 122, 139, 140, 166
GXcopyInverted, 122
GXequiv, 122
GXinvert, 122
GXnand, 122
GXnoop, 122
GXnor, 122
GXor, 122
GXorInverted, 122
GXorReverse, 122
GXset, 122
GXxor, 122

H

Hash Lookup, 436
Headers:
  <stdio.h>, 427
  <X11/cursorfont.h>, 3
  <X11/keysym.h>, 4, 250
  <X11/keysymdef.h>, 3, 4, 250, 371
  <X11/X.h>, 2, 3, 122, 183, 185
  <X11/X10.h>, 4, 435
  <X11/Xatom.h>, 3, 58, 155, 320, 349
  <X11/Xcms.h>, 3, 74
  <X11/Xlib.h>, 3, 4, 8, 74, 184, 318, 383, 406, 415, 416
  <X11/Xlibint.h>, 4, 405, 418, 419, 421
  <X11/Xproto.h>, 4, 201, 227, 419, 420, 421
  <X11/Xprotostr.h>, 4
  <X11/Xresource.h>, 3, 353
  <X11/Xutil.h>, 3, 331, 333, 337, 341, 374, 375, 381, 384, 389, 429
HeightMMOfScreen, **21**
HeightOfScreen, **21**
HeightValue, 374
Host Portable Character Encoding, **444**
Hotspot, **444**

I

IconicState, 322, 332
IconMaskHint, 331
IconPixmapHint, 331
IconPositionHint, 331
IconWindowHint, 331
Identifier, **444**

Image text:
drawing, 165
ImageByteOrder, **16**
IMInstantiateCallback, **291**
IncludeInferiors, 126, 137
Inferiors, **444**
InitExtension, 230
Input Control, 183
Input:
focus, **444**
manager, **444**
InputFocus, 224, 225
InputHint, 331
InputOnly, 30, 31, 33, 35, 36, 37, 38, 42, 50, 51, 54, 56, 68, 133, 134, 139, 172, 199, 208, 227, 440, 442, 444, 445
InputOutput, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 54, 126, 439, 440, 444, 445
int, 5, 304, 410, 427
Internationalization, **444**
IsCursorKey, **371**
IsFunctionKey, **371**
IsKeypadKey, **372**
IsMiscFunctionKey, **372**
IsModifierKey, **372**
ISO2022, **444**
IsPFKey, **372**
IsPrivateKeypadKey, **372**
isspace, 450
IsUnmapped, 55
IsUnviewable, 55
IsViewable, 55

J

JoinBevel, 124, 131
JoinMiter, 122, 124, 131
JoinRound, 124, 131

K

KBAutoRepeatMode, 245
KBBellDuration, 245
KBBellPercent, 245
KBBellPitch, 245
KBKey, 245
KBKeyClickPercent, 245
KBLed, 245
KBLedMode, 245
Key:
grabbing, 239, **444**
ungrabbing, 240
Keyboard:
bell volume, 245
bit vector, 245
grabbing, 237, **444**
keyclick volume, 245
ungrabbing, 238
KeymapNotify, 183, **199**
KeymapStateMask, 186, 199
KeyMapStateMask, 233
KeyPress, 35, 183, **189**, 198, 238, 239, 241, 246, 250, 316, 317, 369
KeyPressMask, 186, 189
KeyRelease, 35, 183, **189**, 199, 238, 241, 246, 316, 369
KeyReleaseMask, 186, 189
Keysym, **444**

L

LastKnownRequestProcessed, **13**
Latin Portable Character Encoding, **445**
Latin-1, **445**
LeaveNotify, 183, **192**, 193, 194, 195, 196, 208, 234
LeaveWindowMask, 186, 192, 233
LedModeOff, 245
LedModeOn, 245
LineDoubleDash, 124, 125, 131
LineOnOffDash, 124, 125, 131
Lines:
drawing, 142
LineSolid, 122, 124, 125, 131
Locale name, **445**
Locale, **445**
Localization, **445**
Lock, 250, 251, 254, 373
LockDisplay, **421**
LockMask, 191, 193, 233, 237
long, 61, 63, 64, 300, 304, 410, 427
LookupColor, 227
LowerHighest, 47, 48
LSBFirst, 16, 17

M

malloc, 426
MapNotify, 40, 183, 186, 192, 201, **205**, 208
Mapped window, **445**
MappingBusy, 248, 254
MappingFailed, 254
MappingKeyboard, 206, 370
MappingModifier, 206, 370
MappingNotify, 183, 186, 202, **206**, 248, 252,

254, 370
MappingPointer, 206
MappingSuccess, 248, 254
MapRequest, 39, 40, 183, 208, **210**, 216
MapWindow, 24, 171
MaxCmapsOfScreen, **21**
mblen, 258
mbtowc, 258
Menus, 175
MinCmapsOfScreen, **22**
Mod1, 250, 254
Mod1Mask, 191, 193, 233, 237
Mod2, 254
Mod2Mask, 191, 193, 233, 237
Mod3, 254
Mod3Mask, 191, 193, 233, 237
Mod4, 254
Mod4Mask, 191, 193, 233, 237
Mod5, 250, 254
Mod5Mask, 191, 193, 233, 237
Modifier keys, **445**
Monochrome, **445**
MotionNotify, 183, 187, **189**, 192, 225
Mouse:
  programming, 245
MSBFirst, 16, 17
Multibyte, **445**

N

NextRequest, **14**, 227
NoEventMask, 35, 186
NoExpose, 137, 140, 183, 186, **200**
Nonconvex, 149
None, **4**, 31, 32, 35, 49, 50, 51, 52, 55, 57, 58, 60, 62, 66, 67, 69, 70, 81, 122, 125, 136, 138, 139, 140, 162, 163, 188, 191, 193, 197, 198, 203, 210, 211, 214, 215, 233, 234, 235, 242, 243, 244, 278, 315, 328, 351, 389, 428
NoOperation, 7, 22
NormalState, 332
NorthEastGravity, 33, 54, 55, 375
NorthGravity, 33, 54, 55
NorthWestGravity, 31, 33, 34, 54, 55, 375
NoSymbol, 250, 252, 369, 370, 371
NotifyAncestor, 194, 196, 197
NotifyDetailNone, 196, 198
NotifyGrab, 194, 195, 196, 198, 199
NotifyHint, 189, 191
NotifyInferior, 194, 196, 197
NotifyNonlinear, 194, 195, 196, 197, 198
NotifyNonlinearVirtual, 194, 195, 196, 197, 198
NotifyNormal, 191, 194, 196
NotifyPointer, 196, 197, 198
NotifyPointerRoot, 196, 198
NotifyUngrab, 194, 195, 196, 198, 199
NotifyVirtual, 194, 196, 197
NotifyWhileGrabbed, 196
NotUseful, 20, 31, 34, 55
NULLQUARK, 366

O

Obscure, **445**
Occlude, **445**
OpenFont, 227
Opposite, 43, 44
Output Control, 183
OwnerGrabButtonMask, 186, 188

P

PackData, 427
Padding, **446**
PAllHints, 334, 335
Parent Window, 1, 53
ParentRelative, 30, 32, 49, 50, 172
PAspect, 334
Passive grab, 232, **446**
PBaseSize, 334
Pixel value, 123, **446**
Pixmap, 2, 23, 24, 304, 420, 422, **446**
Pixmaps, 436
PlaceOnBottom, 202, 209
PlaceOnTop, 202, 209
Plane, **446**
  copying, 140
  mask, 123, **446**
PlanesOfScreen, **22**
PMaxSize, 334
PMinSize, 334
Pointer, **446**
  grabbing, 233, 235, **446**
  ungrabbing, 234
PointerMotion, 35
PointerMotionHintMask, 186, 189, 233
PointerMotionMask, 186, 187, 189, 233
PointerRoot, 24, 197, 198, 243, 244, 332
PointerWindow, 224
Pointing device, **446**
Points:
  drawing, 141
poll, 26
Polygons:
  drawing, 142
  filling, 149

PolyLine, 144, 145
POSIX Portable Filename Character Set, **446**
POSIX System Call:
  fork, 13
POSIX, **446**
PPosition, 334
PreeditCaretCallback, **312**
PreeditDoneCallback, **309**
PreeditDrawCallback, **309**
PreeditStartCallback, **309**
PreeditStateNotifyCallback, **305**
PreferBlanking, 176, 178
PResizeInc, 334
Property list, **447**
Property, **447**
  appending, 63
  changing, 63
  deleting, 65
  format, 63
  getting, 61
  listing, 63
  prepending, 63
  replacing, 63
  type, 63
PropertyChangeMask, 186, 212
PropertyDelete, 213
PropertyNewValue, 213
PropertyNotify, 63, 64, 65, 183, **212**
PropModeAppend, 63, 64
PropModePrepend, 63, 64
PropModeReplace, 63, 64
Protocol:
  DECnet, 8
  TCP, 8
ProtocolRevision, **14**
ProtocolVersion, **14**
PseudoColor, 28, 29, 75, 80, 86, 87, 88, 349, 443, **447**, 449
PSize, 334
Psychometric Chroma, 107, 108, 109
  maximum, 107, 108, 109
Psychometric Hue Angle, 107, 108, 109, 110
PWinGravity, 334

Q

QLength, **14**
QueryFont, 227, 421, 423
QueryKeymap, 421, 423
QueuedAfterFlush, 217, 218
QueuedAfterReading, 217, 218
QueuedAlready, 217, 218

R

RaiseLowest, 47
Read-only colormap cells, 83
read-only colormap cells, 84
Read-only colormap cells:
  allocating, 83, 84, 85
Read/write colormap cells, 83
  allocating, 86
Read/write colormap planes:
  allocating, 87
Rectangle, **447**
  filling, 147
RectangleIn, 379
RectangleOut, 379
RectanglePart, 379
Rectangles:
  drawing, 144
Redirecting control, **447**
Region, 375
ReleaseByFreeingColormap, 347
ReparentNotify, 171, 183, 186, 202, **206**
ReplayKeyboard, 240, 241, 242
ReplayPointer, 240, 241, 242
Reply, **447**
Request, **447**
Requests, **183**
ResizeRedirect, 211
ResizeRedirectMask, 40, 43, 49, 186, 216
ResizeRequest, 40, 43, 183, 208, **211**, 216
Resource IDs, 2, 23, 436
  Cursor, 2
  Font, 2
  freeing, 30, 50, 51
  GContext, 2
  Pixmap, 2
  Window, 2
Resource, **447**
ResourceName, 365
RetainPermanent, 23, 24, 176
RetainTemporary, 23, 24, 176
RevertToNone, 243, 244
RevertToParent, 243, 244
RevertToPointerRoot, 243, 244
RGB values, **447**
Root, 120, **447**
RootWindow, **15**, 282

RootWindowOfScreen, **22**

S

Save set, **448**
Save Unders, 34
Scanline, **448**
  order, **448**
Screen White Point, 104
Screen, 1, 7, 8, 18, 19, 20, 21, 22, 415, **448**
  structure, 448
ScreenCount, **15**
ScreenFormat, 415
ScreenNumberOfCCC, **96**
ScreenOfDisplay, **11**
ScreenSaverActive, 177
ScreenSaverReset, 177
ScreenWhitePointOfCCC, **96**
select, 26
Selection, 65, **448**
  converting, 67
  getting the owner, 66
  setting the owner, 66
SelectionClear, 66, 183, 186, 212, **213**
SelectionNotify, 67, 183, 186, 212, **214**, 224
SelectionRequest, 66, 67, 183, 186, 212, **213**
SendEvent, 184, 410
Serial Number, 227
Server, **448**
  grabbing, 176, **448**
ServerVendor, **15**
setlocale, 255, 257, 445
SetModeDelete, 172
SetModeInsert, 172
Shift sequence, **448**
Shift, 250, 251, 254, 373
ShiftMask, 191, 193, 233, 237
short, 61, 63, 64, 427
Sibling, **448**
Source, **122**
SouthEastGravity, 33, 54, 55, 375
SouthGravity, 33, 54, 55
SouthWestGravity, 33, 54, 55, 375
special, 6
Stacking order, 1, **449**
Standard Colormaps, 349
State-dependent encoding, **449**
State-independent encoding, **449**
StateHint, 331
StaticColor, 28, 29, 75, 80, **449**
StaticGravity, 34, 54, 55
StaticGray, 28, 29, 71, 75, 80, 445, **449**
Status, 3, 79, **449**
StatusDoneCallback, **314**
StatusDrawCallback, **314**
StatusStart, 314
StatusStartCallback, **314**
Stipple, **449**
StippleShape, 132, 133
STRING encoding, **449**
String Equivalence, **449**
StringConversionCallback, **308**
Strings:
  drawing, 163
strlen, 365
strtok, 258
StructureNotify, 202, 203, 204, 205, 207
StructureNotifyMask, 186, 202, 204, 205, 206, 207
SubstructureNotify, 202, 203, 204, 205, 207
SubstructureNotifyMask, 186, 202, 203, 204, 205, 206, 207, 322
SubstructureRedirectMask, 35, 39, 40, 43, 44, 45, 46, 47, 48, 49, 186, 209, 210, 216, 322
Success, 63, 323, 325
SyncBoth, 240, 241
SyncHandle, 425
SyncKeyboard, 240, 241, 242
SyncPointer, 240, 241, 242

T

Text:
  drawing, 162
this, 6
Tile, 2, **449**
  mode, 30
  pixmaps, 30
TileShape, 132, 133
Time, **232**
Timestamp, **449**
TopIf, 43, 44
True, **4**, 20, 26, 34, 35, 40, 55, 57, 58, 63, 87, 88, 91, 99, 100, 103, 116, 122, 138, 140, 152, 155, 171, 184, 186, 188, 191, 193, 200, 203, 204, 206, 207, 211, 213, 217, 219, 220, 221, 222, 223, 224, 225, 226, 233, 238, 249, 256, 263, 268, 272, 273, 291, 292, 294, 295, 315, 325, 332, 360, 361, 362, 363, 365, 371, 372, 379, 405, 411, 412, 423, 424
TrueColor, 28, 29, 75, 80, **449**
Type, **450**

U

Ungrabbing:
  buttons, 237
  keyboard, 238

keys, 240
pointer, 234
UngrabKeyboard, 239
UngrabPointer, 234
UnlockDisplay, **421**
UnmapGravity, 34, 55, 207
UnmapNotify Event, 41, 42
UnmapNotify, 34, 41, 42, 183, 186, 192, 196, 202, **207**, 208, 322
UnmapWindow, 171
unsigned, 300, 304, 410, 427
Unsorted, 136
UrgencyHint, 331, 333
USPosition, 334
USSize, 334

V

Value, 111, 112
maximum, 111, 112
minimum, 112
VendorRelease, **15**
Vertex, 434, **435**
VertexCurved, **435**, 436
VertexDontDraw, **435**, 436
VertexDrawLastPoint, 434
VertexEndClosed, 434, **435**, 436
VertexRelative, **435**
VertexStartClosed, 434, **435**, 436
Viewable, **450**
VisibilityChangeMask, 186, 208
VisibilityFullyObscured, 208
VisibilityNotify, 36, 183, 192, 196, 202, **207**, 208
VisibilityPartiallyObscured, 208
VisibilityUnobscured, 208
Visible, **450**
Visual Classes:
GrayScale, 28
PseudoColor, 28
StaticColor, 28
StaticGray, 28
TrueColor, 28
Visual Type, **28**
Visual, **28**, 29, 54, 383, 384, 415
VisualAllMask, 381
VisualBitsPerRGBMask, 381
VisualBlueMaskMask, 381
VisualClassMask, 381
VisualColormapSizeMask, 381
VisualDepthMask, 381
VisualGreenMaskMask, 381
VisualID, 420
VisualIDMask, 381
VisualNoMask, 381
VisualOfCCC, **95**
VisualRedMaskMask, 381
VisualScreenMask, 381
VoidSymbol, 250

W

wctomb, 258
WestGravity, 33, 54, 55
WhenMapped, 20, 34, 49, 55, 200
White point adjustment, 79
client data, 97
procedure, 97
setting in Color Conversion Context, 97
White point, 79
WhitePixel, **9**
WhitePixelOfScreen, **18**
Whitespace, **450**
WidthMMOfScreen, **21**
WidthOfScreen, **21**
WidthValue, 374
WindingRule, 126, 132, 376
Window, **2**, 23, 29, 300, 420, 422
attributes, 29
background, 50
clearing, 139
defining the cursor, 51
determining location, 374, 432
gravity, **450**
icon name, 330
IDs, 436
InputOnly, 36, **444**
InputOutput, **444**
manager, **450**
managers, 175
mapping, 30
name, 329
parent, **446**
root, **448**
RootWindow, 15
undefining the cursor, 52
XRootWindow, 15
WindowGroupHint, 331
Windows, 436
WithdrawnState, 332

X

X Portable Character Set, **450**
X10 compatibility:
XDraw, 434, 435
XDrawDashed, 434, 435

XDrawFilled, 434, 436
XDrawPatterned, 434, 435
XDrawTiled, 434, 436
XActivateScreenSaver, **178**
XAddConnectionWatch, **25**, 26
XAddExtension, **407**
XAddHost, **179**
XAddHosts, **179**, 180
XAddPixel, **386**
XAddToExtensionList, **416**
XAddToSaveSet, **172**
XAllocClassHint, **337**
XAllocColor, 81, **83**, 84, 86, 89, 104
XAllocColorCells, 80, 81, **86**, 87, 89
XAllocColorPlanes, 80, 81, **87**, 88, 89, 348
XAllocIconSize, **341**
XAllocID, **416**, 422
XAllocIDs, **416**, 417
XAllocNamedColor, 78, 81, **84**, 85, 86, 89
XAllocSizeHints, **333**, 334
XAllocStandardColormap, **347**
XAllocWMHints, **331**
XAllowEvents, 232, 234, 238, **240**, 241, 242
XAllPlanes, **9**
XAnyEvent, **184**
XAppendVertex, 434
XArc, **141**
XAssocTable, 436, 437, 438
XAutoRepeatOff, **247**
XAutoRepeatOn, **247**
XBaseFontNameListOfFontSet, 268, **271**
XBell, **247**
XBitmapBitOrder, **17**
XBitmapPad, **17**
XBitmapUnit, **16**
XBlackPixel, **9**
XBlackPixelOfScreen, **18**
XBufferOverflow, 316
XButtonEvent, **190**
XButtonPressedEvent, **190**, 191
XButtonReleasedEvent, **190**, 191
Xcalloc, 426
XCellsOfScreen, **19**
XChangeActivePointerGrab, 189, **235**
XChangeGC, **127**, 136, 422
XChangeKeyboardControl, 245, **246**, 247
XChangeKeyboardMapping, 206, **252**, 253
XChangePointerControl, **249**
XChangeProperty, 13, **63**, 64, 213
XChangeSaveSet, **172**
XChangeWindowAttributes, 30, **48**, 49, 81, 173, 211, 216
XChar2b, **151**, 160, 161, 163
XCharStruct, **151**, 152, 153, 158, 159, 160, 161
XCheckIfEvent, 219, **220**
XCheckMaskEvent, **222**, 223
XCheckTypedEvent, **223**
XCheckTypedWindowEvent, **223**
XCheckWindowEvent, **221**, 222
XCirculateEvent, **202**
XCirculateRequestEvent, **209**
XCirculateSubwindows, **47**, 48, 202, 209
XCirculateSubwindowsDown, **47**, 48, 202, 209
XCirculateSubwindowsUp, **47**, 202, 209
XClassHint, **337**, 338, 342, 343, 344
XClearArea, **138**, 139
XClearVertexFlag, 434
XClearWindow, 49, **139**
XClientMessageEvent, **212**
XClipBox, **377**
XCloseDisplay, **23**, 407
XCloseIM, 283, 287, **289**, 294, 301
XCloseOM, **260**, 262
XcmsAddColorSpace, 101, 104, **113**, 114
XcmsAddFunctionSet, 113, **117**
XcmsAllocColor, **84**, 104
XcmsAllocNamedColor, 78, **85**, 86
XcmsCCC, 95, 117
XcmsCCCOfColormap, **94**
XcmsCIELab, **77**, 103
XcmsCIELabClipab, 102
XcmsCIELabClipL, 102
XcmsCIELabClipLab, 102
XcmsCIELabFormat, 76, 116
XcmsCIELabQueryMaxC, 102, **107**
XcmsCIELabQueryMaxL, **107**
XcmsCIELabQueryMaxLC, **108**
XcmsCIELabQueryMinL, **108**
XcmsCIELabToCIEXYZ, 116
XcmsCIELabWhiteShiftColors, 103
XcmsCIELuv, **77**, 103, 104
XcmsCIELuvClipL, 102
XcmsCIELuvClipLuv, 102
XcmsCIELuvClipuv, 102
XcmsCIELuvFormat, 76, 116
XcmsCIELuvQueryMaxC, 102, **109**
XcmsCIELuvQueryMaxL, **109**
XcmsCIELuvQueryMaxLC, **109**, 110
XcmsCIELuvQueryMinL, **110**
XcmsCIELuvToCIEuvY, 116
XcmsCIELuvWhiteShiftColors, 103, 104
XcmsCIEuvY, **76**, 104
XcmsCIEuvYFormat, 76, 97, 116
XcmsCIEuvYToCIELuv, 116
XcmsCIEuvYToCIEXYZ, 116
XcmsCIEuvYToTekHVC, 116

XcmsCIExyY, **76**
XcmsCIExyYFormat, 76, 97, 116
XcmsCIExyYToCIEXYZ, 116
XcmsCIEXYZ, **76**, 100, 101, 104
XcmsCIEXYZFormat, 76, 97, 116
XcmsCIEXYZToCIELab, 116
XcmsCIEXYZToCIEuvY, 116
XcmsCIEXYZToCIExyY, 116
XcmsCIEXYZToRGBi, 116
XcmsClientWhitePointOfCCC, **96**
XcmsColor, **75**, 86, 90, 91, 93, 94, 99, 100, 103, 113, 115, 116
XcmsColorFormat, 76
XcmsColorSpace, 114, 115, 116, 117, 118
XcmsColorSpaces, 114
XcmsCompressionProc, **100**
XcmsConvertColors, **99**, 100
XcmsCreateCCC, **98**, 99
XcmsDefaultCCC, **95**
XcmsDisplayOfCCC, **95**
XcmsFailure, 80, 83, 84, 97, 98, 100, 108, 109, 110, 118
XcmsFormatOfPrefix, 76, **114**, 117
XcmsFreeCCC, 95, 98, **99**
XcmsFunctionSet, 117, 118
XcmsInitFailure, 118, 119
XcmsInitNone, 119
XcmsInitSuccess, 118, 119
XcmsLookupColor, 78, **82**, 83, 86
XcmsPad, **77**
XcmsParseStringProc, **115**
XcmsPerScrnInfo, 117, 118, 119
XcmsPrefixOfFormat, 76, **114**, 117
XcmsQueryBlack, **105**
XcmsQueryBlue, **105**
XcmsQueryColor, 90, **93**
XcmsQueryColors, 91, **93**, 94
XcmsQueryGreen, **105**, 106
XcmsQueryRed, **106**
XcmsQueryWhite, **106**, 107
XcmsRGB, **76**, 77, 104
XcmsRGBFormat, 76, 84, 86, 100, 116
XcmsRGBi, **76**, 77, 100, 101, 104
XcmsRGBiFormat, 76, 100, 116
XcmsRGBiToCIEXYZ, 116
XcmsRGBiToRGB, 116
XcmsRGBToRGBi, 116
XcmsScreenFreeProc, **119**
XcmsScreenInitProc, **118**
XcmsScreenNumberOfCCC, **96**
XcmsScreenWhitePointOfCCC, **96**
XcmsSetCCCOfColormap, 94, **95**
XcmsSetCompressionProc, **97**
XcmsSetWhiteAdjustProc, **97**, 98
XcmsSetWhitePoint, **96**, 97
XcmsStoreColor, **90**, 91
XcmsStoreColors, **91**
XcmsSuccess, 80, 83, 90, 91, 114, 118
XcmsSuccessWithCompression, 80, 83
XcmsTekHVC, **77**, 104
XcmsTekHVCClipC, 102
XcmsTekHVCClipV, 102
XcmsTekHVCClipVC, 103
XcmsTekHVCFormat, 76, 116
XcmsTekHVCQueryMaxC, 105, **110**, 111
XcmsTekHVCQueryMaxV, **111**
XcmsTekHVCQueryMaxVC, **111**, 112
XcmsTekHVCQueryMaxVSamples, **112**
XcmsTekHVCQueryMinV, **112**, 113
XcmsTekHVCToCIEuvY, 116
XcmsTekHVCWhiteShiftColors, 104
XcmsUndefinedFormat, 76, 82, 85, 97, 114
XcmsVisualOfCCC, **95**
XcmsWhiteAdjustProc, **103**
XCNOENT, 390
XCNOMEM, 390
XColor, 72, **75**, 77, 84, 89, 90, 91, 92, 93
XColormapEvent, **211**
XComposeStatus, 372, 373
XCompoundTextStyle, 324
XConfigureEvent, **203**
XConfigureRequestEvent, **209**
XConfigureWindow, 42, **44**, 202, 205, 209, 211
XConnectionNumber, **9**
XContextDependentDrawing, **273**
XContextualDrawing, 263, **272**
XConvertCase, **370**
XConverterNotFound, 323, 325
XConvertSelection, **67**, 213
XCopyArea, 126, 137, **139**, 140, 186, 200, 201
XCopyColormapAndFree, **80**, 81
XCopyGC, **127**
XCopyPlane, 68, 126, 137, **140**, 141, 186, 200, 201
XCreateAssocTable, **437**
XCreateBitmapFromData, **389**
XCreateColormap, **80**, 89, 348
XCreateFontCursor, **69**, 404
XCreateFontSet, 257, 265, 267, **268**, 269, 270, 271, 275, 277, 278, 279, 280, 326, 327
XCreateGC, 120, **126**, 127, 136, 200, 376, 422
XCreateGlyphCursor, **69**, 70
XCreateIC, 257, 283, **295**, 298, 301
XCreateImage, **383**, 384, 386
XCreateOC, 257, **263**, 264, 265, 266, 268
XCreatePixmap, **68**, 422

XCreatePixmapCursor, **70**, 71
XCreatePixmapFromBitmapData, **388**, 389
XCreateRegion, **376**
XCreateSimpleWindow, 36, **38**, 173, 203
XCreateWindow, 30, **36**, 37, 38, 48, 81, 173, 203, 216
XCreateWindowEvent, **203**
XCrossingEvent, **192**
XDefaultColormap, **10**
XDefaultColormapOfScreen, **19**
XDefaultDepth, **10**
XDefaultDepthOfScreen, **19**
XDefaultGC, **11**
XDefaultGCOfScreen, **19**
XDefaultRootWindow, **11**
XDefaultScreen, 7, 8, **12**
XDefaultScreenOfDisplay, **11**
XDefaultString, 325, **326**
XDefaultVisual, **12**
XDefaultVisualOfScreen, **19**
XDefineCursor, 38, **51**, 52
XDeleteAssoc, **438**
XDeleteContext, **390**
XDeleteModifiermapEntry, **253**
XDeleteProperty, **65**, 213
XDestroyAssocTable, **438**
XDestroyIC, 294, **295**, 296, 300
XDestroyImage, 384, **386**
XDestroyOC, **264**, 266, 267, 268
XDestroyRegion, **376**
XDestroySubwindows, **39**, 204
XDestroyWindow, **39**, 204
XDestroyWindowEvent, **204**
XDirectionalDependentDrawing, 263, **272**
XDisableAccessControl, **181**, 182
XDisplayCells, 8, **12**
XDisplayHeight, 8, **17**
XDisplayHeightMM, 8, **17**
XDisplayKeycodes, **251**, 252
XDisplayMotionBufferSize, **225**
XDisplayName, **230**
XDisplayOfIM, **290**
XDisplayOfOM, **261**
XDisplayOfScreen, **20**
XDisplayPlanes, 8, **12**
XDisplayString, **13**
XDisplayWidth, 8, **18**
XDisplayWidthMM, 8, **18**
XDoesBackingStore, **20**
XDoesSaveUnders, **20**
xDoSomethingReply, **420**
xDoSomethingReq, **419**, 422
XDraw, 434, **435**
XDrawArc, 125, **145**, 146, 147
XDrawArcs, 13, 145, **146**, 147
XDrawDashed, 434, 435
XDrawFilled, 434, **436**
XDrawImageString16, **165**, 166
XDrawImageString, 162, **165**, 166, 277
XDrawLine, 125, 138, **142**, 144
XDrawLines, 13, 142, **143**, 144, 434
XDrawPatterned, 434, 435
XDrawPoint, 138, **141**, 142, 418
XDrawPoints, 13, 141, **142**
XDrawRectangle, 125, 138, **144**, 145
XDrawRectangles, 13, 144, **145**
XDrawSegments, 13, 125, 142, **143**, 144, 434
XDrawString16, **164**
XDrawString, **163**, 164, 277
XDrawText16, 125, 161, **162**, 163
XDrawText, 125, 161, **162**, 163, 277
XDrawTiled, 434, 436
XEDataObject, 416
XEHeadOfExtensionList, **416**
XEmptyRegion, **378**, 379
XEnableAccessControl, **181**
XEnterWindowEvent, **192**, 194, 195
XEqualRegion, **379**
XErrorEvent, 227, 412, 414
XESetBeforeFlush, **414**, 415
XESetCloseDisplay, **407**
XESetCopyGC, **408**, 414
XESetCreateFont, **409**
XESetCreateGC, **408**
XESetError, **412**
XESetErrorString, **413**
XESetEventToWire, 410, **411**
XESetFlushGC, **414**
XESetFreeFont, **409**, 410
XESetFreeGC, **408**, 409
XESetPrintErrorValues, **414**
XESetWireToError, **412**, 414
XESetWireToEvent, **410**
XEvent, **184**, 185, 218, 219, 220, 221, 222, 223, 225, 315, 410
xEvent, 410
XEvent, 411
xEvent, 411
XEvent, 412
xEvent, 412
XEvent, 414
XEventMaskOfScreen, **20**
XEventsQueued, 14, **217**, 218
XExposeEvent, **200**
XExtCodes, **406**, 407, 427
XExtData, **415**

XExtendedMaxRequestSize, **13**
XExtentsOfFontSet, 257, **273**
XFetchBuffer, **381**
XFetchBytes, **380**, 381
XFetchName, **329**, 330
XFillArc, 125, 138, **149**, 150, 151
XFillArcs, 13, 126, **150**, 151
XFillPolygon, 13, 125, 126, **149**
XFillRectangle, 125, 138, **147**, 148
XFillRectangles, 13, 147, **148**
XFilterEvent, **315**
XFindContext, **390**
XFindOnExtensionList, **416**
XFlush, **217**
XFlushGC, **128**
XFocusChangeEvent, **195**
XFocusInEvent, **195**, 196, 197, 198, 199
XFocusOutEvent, **195**, 196, 197, 198, 199
XFontProp, **151**
XFontSet, 257, 259, 263, 268, 269, 270, 271, 273, 275, 277, 278, 279, 280, 304, 326, 439
XFontSetExtents, 272, **273**
XFontsOfFontSet, 265, **270**
XFontStruct, **151**, 152, 154, 155, 158, 159, 162, 267, 270, 271, 272, 415
XFontStructs, 270
XFontStructSet, 267, 271
XForceScreenSaver, **177**, 178
XFree, 10, 16, **22**, 27, 53, 61, 63, 174, 180, 226, 252, 259, 262, 290, 292, 294, 297, 298, 308, 325, 326, 330, 331, 333, 334, 337, 338, 340, 341, 342, 347, 358, 381, 382, 388, 426
XFreeColormap, **81**, 211
XFreeColors, 80, **88**, 89
XFreeCursor, 36, **72**, 73
XFreeExtensionList, **406**
XFreeFont, 70, **155**, 410
XFreeFontInfo, 154, **157**
XFreeFontNames, **156**, 157
XFreeFontPath, **175**
XFreeFontSet, 267, 268, 270, **271**, 272, 273
XFreeGC, **128**
XFreeModifiermap, **254**
XFreePixmap, **68**, 69, 387, 389
XFreeStringList, 270, 326, **327**, 346
XGContextFromGC, **128**, 154
XGCValues, **120**, 127
xGenericReply, 421
XGeometry, **432**, 433
XGetAtomName, **60**, 61
XGetAtomNames, **61**
XGetClassHint, **338**
XGetCommand, **345**
XGetDefault, **433**, 434
XGetErrorDatabaseText, **229**, 230, 257
XGetErrorText, **229**, 257, 413
XGetFontPath, **175**
XGetFontProperty, **155**
XGetGCValues, **127**, 128
XGetGeometry, **55**, 56
XGetIconName, **331**
XGetIconSizes, **342**
XGetICValues, 288, **297**, 298, 303
XGetImage, **168**, 169, 170, 383, 384, 386
XGetIMValues, 284, 287, 288, 289, **290**, 292, 294, 295, 299, 301, 302, 305
XGetInputFocus, **244**
XGetKeyboardControl, **246**
XGetKeyboardMapping, **251**, 252
XGetModifierMapping, **254**
XGetMotionEvents, 189, **225**, 226
XGetNormalHints, **429**, 431
XGetOCValues, 264, **265**, 266, 267
XGetOMValues, **261**, 266
XGetPixel, **384**, 385
XGetPointerControl, **249**
XGetPointerMapping, **248**
XGetRGBColormap, 431
XGetRGBColormaps, 304, **350**, 351
XGetScreenSaver, **178**
XGetSelectionOwner, **66**, 67
XGetSizeHints, **431**
XGetStandardColormap, **431**, 432
XGetSubImage, **169**, 170
XGetTextProperty, **328**, 329, 330, 346
XGetTransientForHint, **338**, 339
XGetVisualInfo, **382**
XGetWindowAttributes, **53**, 54, 55
xGetWindowAttributesReply, 424
XGetWindowProperty, **61**, 62, 63, 213
XGetWMClientMachine, **346**
XGetWMColormapWindows, **340**, 341
XGetWMHints, **333**
XGetWMIconName, **330**
XGetWMName, **329**
XGetWMNormalHints, **335**, 336, 429
XGetWMProtocols, **339**, 340
XGetWMSizeHints, **336**, 337, 431
XGetZoomHints, **430**, 431
XGrabButton, 188, 234, **235**, 236, 237, 241
XGrabKey, **239**, 240, 241
XGrabKeyboard, 198, 232, **237**, 238, 239, 240, 241
XGrabPointer, 192, 195, 232, **233**, 234, 235, 236, 241
XGrabServer, **176**

XGraphicsExposeEvent, 184, **200**, 201
XGravityEvent, **205**
XHeightMMOfScreen, **21**
XHeightOfScreen, **21**
XHostAddress, **179**
XIC, 257, 283, 284
XICCEncodingStyle, **323**
XIconifyWindow, **321**, 322
XIconSize, 320, **341**
XID, **4**
XIfEvent, **219**, 220
XIM, 255, 257, 283, 315
XIMAbsolutePosition, 313, **314**
XImage, **166**, 167, 169, 170, 383, 384, 385, 386
XImageByteOrder, **16**
XIMBackwardChar, 308, **313**
XIMBackwardWord, **313**
XIMCallback, 294, 300, 301, 305, **306**
XIMCaretDirection, 308, **313**
XIMCaretDown, **313**
XIMCaretStyle, **313**
XIMCaretUp, **313**
XIMDontChange, 313, **314**
XIMFeedback, 294, 312, 315
XIMForwardChar, 308, **313**
XIMForwardWord, **313**
XIMHighlight, **312**
XIMHotKeyStateOFF, 303
XIMHotKeyStateON, 302, 303
XIMHotKeyTriggers, 302
XIMInitialState, 296, **302**, 305
XIMLineEnd, 308, 313, **314**
XIMLineStart, 313, **314**
XIMNextLine, 313, **314**
XIMOfIC, **297**
XIMPreeditArea, 284, **292**, **293**, 303
XIMPreeditCallbacks, **292**, **293**, 306
XIMPreeditCaretCallbackStruct, 312, **313**
XIMPreeditDisable, 305
XIMPreeditDrawCallbackStruct, 295, **310**
XIMPreeditEnable, **305**
XIMPreeditNone, **292**, **293**
XIMPreeditNothing, **292**, **293**
XIMPreeditPosition, **292**, **293**, 303, 304
XIMPreeditStateNotifyCallbackStruct, **305**
XIMPreeditUnknown, 305
XIMPreserveState, 296, 302
XIMPreviousLine, 313, **314**
XIMPrimary, **312**
XIMProc, **306**
XIMResetState, 301, 302
XIMReverse, 311, **312**
XIMSecondary, **312**
XIMStatusArea, 284, **292**, **293**, 303
XIMStatusCallbacks, **292**, **293**, 306
XIMStatusDataType, **314**
XIMStatusDrawCallbackStruct, **314**
XIMStatusNone, **292**, **293**
XIMStatusNothing, **292**, **293**
XIMStringConversionCallbackStruct, 287, **308**
XIMStringConversionOperation, 309
XIMStringConversionPosition, 308
XIMStringConversionRetrieval, 308, 309
XIMStringConversionSubstitution, 308, 309
XIMStringConversionText, 301, 308
XIMStyle, **292**
XIMStyles, 284, **292**, 293
XIMTertiary, **312**
XIMText, 286, 294, 310, 311, 312, 315
XIMUnderline, **312**
XIMValuesList, 294
XIMVisibleCenter, 311, **312**
XIMVisibleToBackward, 311, **312**, 315
XIMVisibleToCenter, 315
XIMVisibleToForward, 311, **312**, 315
XInitExtension, **406**, 407, 416, 427
XInitImage, **167**
XInitThreads, **24**, 25
XINPreserveState, **302**
XInsertModifiermapEntry, **253**
XInstallColormap, 35, 49, 74, **173**, 211
XInternalConnectionNumbers, **26**, 27
XInternAtom, 58, **60**
XInternAtoms, **60**
XIntersectRegion, **377**
XKeyboardControl, **245**, 246
XKeyboardState, **246**
XKeycodeToKeysym, **369**, 370
XKeyEvent, **190**
XKeymapEvent, **199**
XKeyPressedEvent, **190**, 191, 369, 372
XKeyReleasedEvent, **190**, 191, 369, 372
XKeysymToKeycode, **370**
XKeysymToString, **371**
XKillClient, **176**, 348
XLastKnownRequestProcessed, **13**
XLeaveWindowEvent, **192**, 194, 195
XLFD, **450**
XlibSpecificationRelease, **3**
XListDepths, **10**
XListExtensions, 405, **406**
XListFonts, **156**
XListFontsWithInfo, **156**, 157
XListHosts, **180**
XListInstalledColormaps, **174**
XListPixmapFormats, **16**

XListProperties, **63**
XLoadFont, **154**, 155
XLoadQueryFont, 151, **154**, 155, 157, 409
XLocaleNotSupported, 256, 323, 324, 325
XLocaleOfFontSet, **271**
XLocaleOfIM, 257, **290**
XLocaleOfOM, 257, **261**
XLockDisplay, **25**, 26, 219
XLookUpAssoc, **437**
XLookupBoth, 316
XLookupChars, 316
XLookupColor, 78, **81**, 82
XLookupKeySym, 316
XLookupKeysym, **369**
XLookupNone, 316
XLookupString, **372**, 373
XLowerWindow, **46**, 47, 202, 209
XMakeAssoc, **437**
Xmalloc, 426
XMapEvent, **205**
XMappingEvent, **206**
XMapRaised, **40**, 41, 202, 205, 209, 210
XMapRequestEvent, **210**
XMapSubwindows, **41**, 205, 210
XMapWindow, 30, 38, 39, **40**, 41, 205, 210
XMaskEvent, **222**
XMatchVisualInfo, 10, **382**, 383
XMaxCmapsOfScreen, **21**
XMaxRequestSize, **13**
XmbDrawImageString, **279**, 280
XmbDrawString, 272, **278**, 279
XmbDrawText, 257, **277**, 278
XmbLookupString, 257, 284, 285, 286, 287, 289, **315**, 316, 317
XmbPerCharExtents, 273
XmbResetIC, 287, **296**, 301, 302, 305
XmbSetWMProperties, 257, **342**, 343, 344
XmbTextEscapement, 273, **274**, 275
XmbTextExtents, 257, 273, **274**, 277, 278, 280
XmbTextItem, **277**
XmbTextListToTextProperty, 257, **324**
XmbTextPerCharExtents, 272, **275**, 276, 277, 278
XmbTextPropertyToTextList, 257, **325**, 326, 327, 358
XMinCmapsOfScreen, **22**
XModifierKeymap, **253**, 254
XMotionEvent, **190**
XMoveResizeWindow, **45**, 202, 205, 209, 211, 422
XMoveWindow, **44**, 202, 209, 422
XNArea, 285, 293, **303**, **318**
XNAreaNeeded, 285, 293, **303**, **318**
XNBackground, **304**, **318**
XNBackgroundPixmap, 304, **318**
XNBaseFontName, 265, 266, 318, **319**
XNClientWindow, **299**, 300, **318**
XNColormap, **304**, **318**
XNContextualDrawing, 262, 263, 318, **319**
XNCursor, 304, **318**
XNDefaultString, 266, 318, **319**
XNDestroyCallback, 288, 292, 294, 300, **318**
XNDirectionalDependentDrawing, 262, 263, 318, **319**
XNegative, 374
XNewModifiermap, **253**
XNextEvent, 2, 217, **218**, 315
XNextRequest, **14**
XNFilterEvents, 285, 295, 297, **300**, **318**
XNFocusWindow, 293, **300**, 303, **318**
XNFontInfo, 267, 318, **319**
XNFontSet, 285, **304**, **318**
XNForeground, **304**, **318**
XNGeometryCallback, **300**, **318**
XNHotKey, 302, **318**
XNHotKeyState, 302, 303, **318**
XNInputStyle, 284, 299, 304, **318**
XNLineSpace, 304, **318**
XNLineSpacing, 285
XNMissingCharSet, 266, 318, **319**
XNoExposeEvent, **201**
XNOMAutomatic, 267, 268, 318, **319**
XNoMemory, 323, 324, 325
XNoOp, **22**
XNOrientation, 266, 267, 318, **319**
XNPreeditAttributes, **303**, **318**
XNPreeditCaretCallback, 293, **306**, **318**
XNPreeditDoneCallback, 293, **306**, **318**
XNPreeditDrawCallback, 293, **306**, **318**
XNPreeditStartCallback, 293, **306**, **318**
XNPreeditState., 288
XNPreeditState, 288, 301, 302, 305, **318**
XNPreeditStateNotifyCallback, 288, 305, **318**
XNQueryICValuesList, 287, 288, 289, 292, 294, 301, 302, 305, **318**
XNQueryIMValues, 294, 295
XNQueryIMValuesList, 292, 294, **318**
XNQueryInputStyle, 292, 299, **318**
XNQueryOrientation, 262, 266, 318, **319**
XNR6PreeditCallbackBehavior, 292, 294, 295, **318**
XNRequiredCharSet, 262, 318, **319**
XNResetState, 296, 301, 302, 305, **318**
XNResourceClass, 267, 292, 293, **300**, **318**
XNResourceName, 267, 292, 293, **300**, **318**

XNSeparatorofNestedList :
, @DEF@""
XNSeparatorofNestedList, 318
XNSpotLocation, 293, **304**, **318**
XNStatusAttributes, **303**, **318**
XNStatusDoneCallback, 293, **306**, **318**
XNStatusDrawCallback, 293, **306**, **318**
XNStatusStartCallback, 293, **306**, **318**
XNStdColormap, **304**, **318**
XNStringConversion, 287, 301, **318**
XNStringConversionCallback, 287, 301, **318**
XNVaNestedList, **318**
XNVisiblePosition, 292, 294, **318**
XOC, 259, 263, 266, 267, 268
XOffsetRegion, **376**
XOM, 255, 257, 259, 262, 268, 271
XOMCharSetList, **262**, 266
XOMFontInfo, 267
XOMOfOC, **264**
XOMOrientation, 262
XOMOrientation_Context, 263, 267
XOMOrientation_LTR_TTB, 262, 263, 267
XOMOrientation_RTL_TTB, 263
XOMOrientation_TTB_LTR, 263
XOMOrientation_TTB_RTL, 263
XOpenDisplay, **7**, 8, 12, 13, 28, 183, 230, 358
XOpenIM, 257, 283, 287, 288, **289**
XOpenOM, 257, **260**
XOrientation, 266
XParseColor, 78, **82**
XParseGeometry, **374**, 375, 433
XPeekEvent, **219**
XPeekIfEvent, 219, **220**, 221
XPending, 217, **218**
Xpermalloc, **374**
XPixmapFormatValues, 15, 16
XPlanesOfScreen, **22**
XPoint, **141**, 144, 304
XPointer, **4**, 258
XPointerMovedEvent, 189, **190**, 191
XPointInRegion, **379**
XPolygonRegion, **376**
XProcessInternalConnection, **26**
XPropertyEvent, **212**
XProtocolRevision, **14**
XProtocolVersion, **14**
XPutBackEvent, **223**, 224
XPutImage, 13, **167**, 168, 383, 389
XPutPixel, **385**
XQLength, **14**, 218
XQueryBestCursor, 69, **71**, 72
XQueryBestSize, **132**, 133
XQueryBestStipple, **133**, 134
XQueryBestTile, **133**
XQueryColor, **92**
XQueryColors, **92**, 93
XQueryExtension, **405**
XQueryFont, **154**, 155, 409
XQueryKeymap, **247**, 248
XQueryPointer, 56, **57**, 58, 189
XQueryTextExtents16, 159, **160**, 161
XQueryTextExtents, 159, **160**, 161, 166
XQueryTree, **53**
XRaiseWindow, 2, **46**, 202, 209
XReadBitmapFile, **386**, 387, 388
XReadBitmapFileData, **387**
XRebindKeysym, **373**
XRecolorCursor, 69, **72**
XReconfigureWMWindow, **322**, 323
XRectangle., 303
XRectangle, **141**, 273, 277, 303
XRectangles, 277
XRectInRegion, **379**
XRefreshKeyboardMapping, 206, **370**, 373
XRegisterIMInstantiateCallback, 257, 288, **290**, 291
XRemoveConnectionWatch, **26**
XRemoveFromSaveSet, **172**, 173
XRemoveHost, **180**
XRemoveHosts, **180**, 181
XReparentEvent, **206**
XReparentWindow, **171**, 172, 205, 206
xReply, 423
xReq, 417, 420
XResetScreenSaver, **178**
XResizeRequestEvent, **211**
XResizeWindow, **44**, 45, 202, 205, 209, 211
XResourceManagerString, **358**
xResourceReq, **420**
XRestackWindows, **48**, 202, 209
XrmBindingList, 356
XrmBindLoosely, 356
XrmBindTightly, 356
XrmCombineDatabase, **360**, 361
XrmCombineFileDatabase, **360**
XrmDatabase, 257, **357**
XrmDestroyDatabase, **359**
XrmEnumAllLevels, 365
XrmEnumerateDatabase, **365**
XrmEnumOneLevel, 365
XrmGetDatabase, **359**, 360
XrmGetFileDatabase, 257, **357**, 359
XrmGetResource, **361**, 362, 363
XrmGetStringDatabase, 257, **358**, 359
XrmInitialize, **357**
XrmLocaleOfDatabase, 257, **359**

XrmMergeDatabases, **360**, 361
XrmOptionDescRec.value, 366
XrmOptionDescRec, **366**
XrmOptionKind, **366**
XrmoptionNoArg, 367
XrmoptionSkipArg, 366
XrmoptionSkipNArgs, 366
XrmParseCommand, **366**, 367
XrmPermStringToQuark, **355**
XrmPutFileDatabase, 257, **358**
XrmPutLineResource, **365**
XrmPutResource, 361, **363**
XrmPutStringResource, **364**
XrmQGetResource, **361**, 362, 363
XrmQGetSearchList, **362**, 363
XrmQGetSearchResource, 361, **362**, 363
XrmQPutResource, 361, **363**, 364, 365
XrmQPutStringResource, **364**, 365
XrmQuark, 354, 355
XrmQuarkToString, **355**, 356
XrmSetDatabase, **359**, 434
XrmStringToBindingQuarkList, **356**, 363, 364
XrmStringToQuark, **355**
XrmStringToQuarkList, **356**
XrmUniqueQuark, **355**
XrmValue, **357**, 365
XRootWindow, **15**
XRootWindowOfScreen, **22**
XRotateBuffers, **381**
XRotateWindowProperties, **64**, 65, 213
XSaveContext, **389**, 390
XScreenCount, **15**
XScreenNumberOfScreen, **20**
XScreenOfDisplay, **11**
XScreenResourceString, **358**
XSegment, **141**, 144
XSelectInput, **216**, 217
XSelectionClearEvent, **213**
XSelectionEvent, **214**
XSelectionRequestEvent, **213**
XSendEvent, 212, 214, **224**, 225
XServerVendor, **15**
XSetAccessControl, **181**
XSetAfterFunction, **226**
XSetArcMode, **137**
XSetBackground, **130**, 422
XSetClassHint, **337**, 344
XSetClipMask, **135**, 136
XSetClipOrigin, **135**
XSetClipRectangles, 13, 126, 127, **136**
XSetCloseDownMode, **23**, 350
XSetCommand, 344, **345**
XSetDashes, 125, 127, **131**, 132
XSetErrorHandler, **227**
XSetFillRule, **132**
XSetFillStyle, **132**
XSetFont, **135**
XSetFontPath, 156, **174**, 175
XSetForeground, 120, **129**, 130
XSetFunction, **130**
XSetGraphicsExposures, **137**, 200
XSetICFocus, 284, **296**
XSetIconName, **330**, 331
XSetIconSizes, **341**, 342
XSetICValue, 288
XSetICValues, 288, **297**, 298, 300, 303
XSetIMValue, 288
XSetIMValues, **289**, 290, 292
XSetInputFocus, **243**, 244
XSetIOErrorHandler, **230**, 231
XSetLineAttributes, 120, **131**
XSetLocaleModifiers, **256**, 257, 258, 260, 289
XSetModifierMapping, 206, **254**
XSetNormalHints, **429**, 431
XSetOCValues, **264**, 265, 267
XSetOMValues, **260**, 261
XSetPlaneMask, **130**
XSetPointerMapping, 206, **248**
XSetRegion, 13, 126, **376**
XSetRGBColormap, 432
XSetRGBColormaps, **349**, 350
XSetScreenSaver, **176**, 177
XSetSelectionOwner, 23, **66**, 213, 214
XSetSizeHints, **430**, 431
XSetStandardColormap, **432**
XSetStandardProperties, **428**, 429
XSetState, **129**
XSetStipple, **134**
XSetSubwindowMode, **137**
XSetTextProperty, **327**, 328, 330, 346
XSetTile, **134**
XSetTransientForHint, **338**
XSetTSOrigin, **134**, 135
XSetWindowAttributes, **30**, 48, 49, 211, 216
XSetWindowBackground, **49**, 50
XSetWindowBackgroundPixmap, **50**
XSetWindowBorder, **50**, 51
XSetWindowBorderPixmap, **51**
XSetWindowBorderWidth, **45**, 46, 202, 209
XSetWindowColormap, **51**, 81, 173, 211
XSetWMClientMachine, 343, 344, **346**
XSetWMColormapWindows, **340**
XSetWMHints, **333**, 342, 343, 344
XSetWMIconName, **330**, 344
XSetWMName, **328**, 329, 344
XSetWMNormalHints, **335**, 336, 343, 344, 429

XSetWMProperties, **344**, 345, 428
XSetWMProtocols, **339**
XSetWMSizeHints, **336**, 430
XSetZoomHints, **430**, 431
XShrinkRegion, **377**
XSizeHints, 320, 333, **334**, 335, 336, 375, 429, 430, 431
XStandardColormap, **347**, 348, 349, 350, 428, 431
XStdICCTextStyle, 324
XStoreBuffer, **380**
XStoreBytes, **380**
XStoreColor, 88, **89**, 90
XStoreColors, 88, **90**, 91, 350
XStoreName, **329**
XStoreNamedColor, 78, 88, **91**, 92
XStringListToTextProperty, **326**
XStringStyle, 324, 325
XStringToKeysym, **371**
XSubImage, 384, **385**, 386
XSubtractRegion, **378**
XSupportsLocale, **256**, 257, 325
XSync, 2, 23, **217**
XSynchronize, **226**, 425
XTextExtents16, **159**, 161
XTextExtents, **158**, 159, 161
XTextItem16, **162**
XTextItem, **161**
XTextProperty, **323**, 324, 325, 326, 327, 328, 329, 330, 346
XTextPropertyToStringList, **327**
XTextStyle, 324
XTextWidth16, 157, **158**
XTextWidth, 157, **158**
XTimeCoord, **226**
XTranslateCoordinates, **56**, 57
XUndefineCursor, **52**
XUngrabButton, **237**
XUngrabKey, **240**
XUngrabKeyboard, 23, **238**, 239
XUngrabPointer, 23, 189, 192, **234**
XUngrabServer, 23, **176**
XUninstallColormap, 74, 81, **173**, 174, 211
XUnionRectWithRegion, **378**
XUnionRegion, **377**
XUniqueContext, **390**
XUnloadFont, 154, **155**, 157
XUnlockDisplay, **25**
XUnmapEvent, **207**
XUnmapSubwindows, **41**, 42
XUnmapWindow, **41**
XUnregisterIMInstantiateCallback, 257, 288, **291**
XUnsetICFocus, 284, **296**
XVaCreateNestedList, 258, 259
XValue, 374
XVaNestedList, 258, 298
XVendorRelease, **15**
XVisibilityEvent, **208**
XVisualIDFromVisual, **29**
XVisualInfo, 28, **381**
XWarpPointer, **242**, 243
XWatchProc, **25**
XwcDrawImageString, **279**, 280
XwcDrawString, **278**, 279
XwcDrawText, 257, **277**, 278
XwcFreeStringList, **326**
XwcLookupString, 257, 284, 285, 286, 287, 289, **315**, 316, 317
XwcPerCharExtents, 273
XwcResetIC, 287, 296, 301, 302, 305
XwcTextEscapement, 273, **274**, 275
XwcTextExtents, 257, 273, **274**, 277, 278, 280
XwcTextItem, **277**
XwcTextListToTextProperty, 257, **324**
XwcTextPerCharExtents, 272, **275**, 276, 277, 278
XwcTextPropertyToTextList, 257, **325**, 326
XWhitePixel, **9**
XWhitePixelOfScreen, **18**
XWidthMMOfScreen, **21**
XWidthOfScreen, **21**
XWindowAttributes, 53, **54**
XWindowChanges, **42**, 44, 322
XWindowEvent, 2, 217, **221**
XWithdrawWindow, **322**
XWMGeometry, **374**, 375, 432
XWMHints, 320, **331**, 333, 342, 344
XWriteBitmapFile, **388**, 389
XXorRegion, **378**
XY format, **450**
XYBitmap, 168, 383
XYPixmap, 168, 169, 170, 383
X_CopyArea, 201
X_CopyPlane, 201
X_MapWindow, 422

Y

YNegative, 374
YSorted, 136
YValue, 374
YXBanded, 136
YXSorted, 136

Z

Z format, **450**

ZPixmap, 168, 169, 170, 383

_

_XAllocScratch, **426**
_XAllocTemp, **426**
_Xdebug, 226
_XFlushGCCache, **417**
_XFreeTemp, **426**
_XRead16, 424
_XRead16Pad, 425
_XRead32, 425
_XRead, 424, 426
_XReadPad, 425
_XReply, 413, **423**, 424, 426
_XSend, 422, 423, 426
_XSetLastRequestRead, **411**